AUG 2 1 2006 8				
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Application No.	Applicant(s)		
Notice of Allowability				
Worke of Allowability	10/667,300 Examiner	ROOD, ROBERT R. Art Unit		
nodes of Allowaling	Examiner	Artomi		
	Dennis H. Pedder	3612		
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	opplication. If not included on will be mailed in due course. THIS		
1. This communication is responsive to <u>amendment of 4/18/2</u>	<u>2006</u> .			
2. The allowed claim(s) is/are <u>1</u> .				
3. ☐ Acknowledgment is made of a claim for foreign priority up a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have	e been received.			
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	y complying with the requirements		
4. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAMINE es reason(s) why the oath or declar	R'S AMENDMENT or NOTICE OF ration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.			
(a) ⊠ including changes required by the Notice of Draftspers)-948) attached		
1) ⊠ hereto or 2) ☐ to Paper No./Mail Date	<u>.</u> .			
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment or in the	Office action of		
Identifying indicia such as the application number (see 37 CFR teach sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the draw the header according to 37 CFR 1.12	rings in the front (not the back) of I(d).		
 DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.		
	•			
Attachment(s) 1. Notice of References Cited (PTO-892)	5 ☐ Notice of Informal	Patent Application (PTO-152)		
2. ☑ Notice of Praftperson's Patent Drawing Review (PTO-948)				
	Paper No./Mail D	ate <u>5/3/2006</u> .		
 Information Disclosure Statements (PTO-1449 or PTO/SB/ Paper No./Mail Date 				
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Staten	nent of Reasons for Allowance		
of Biological Material	9. Other			

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Rood on 5/3/2006.

The application has been amended as follows:

The specification of 9/22/2003 is entered and rewritten with correct line spacing as follows:

--Clip-on Brush Guard

BACKGROUND

The Brush guard is designed to fit any vehicle with a snow plow, whether it is prior to quick-mount systems, meaning the old style, wherein the plow frame stays on the truck or today's style where the plow frame comes off the truck with the plow and what you are left with on your truck is two push plates or brackets to receive the plow and frame. These brackets are very hard to remove and are made to stay on your truck even in warm weather. This makes for some unsightly pieces of metal protruding from your truck in a world where appearance is everything. I designed the brush guard to improve the appearance of the metal brackets and protect the grill and headlights of the vehicle.

Some notable features of the brush guard are steel tubing that make up cross

pieces with one quarter inch steel side plates. The total width of the brush guard will vary depending on what make and model of snowplow and the height will be determined by the vehicle. The receiver part of the brush guard (the bottom of the brush guard that clips onto the snow plow brackets) clips on the truck using two spring loaded connecting pins. When the brush guard is put into place you turn the pins and the brush guard is now mounted on your vehicle. There are two thumb screws, one on each side on the bottom of the brush guard receiver. These screws are to be tightened by hand to minimize movement of the brush guard once mounted on the vehicle. The clip-on brush guard will also come with pre-drilled holes for headlight guards and fog lights. Color selection will be determined by the vehicle.--

The specification of 4/18/2006 is entered following the specification above.

The claim of 10/18/2005 is not entered and the claims of 8/2/2004 and 9/13/2004 are canceled and replaced by the following, the only claim in the application:

- --What is claimed is:
- 1. A Brush Guard designed to be used on trucks with snowplow push plates comprising:
 - L-shaped side plates connected by tubing cross pieces;
- a C-channel welded to an inside surface of each of the side plates at its open end, forming a closed cross section with the side plate;

Application/Control Number: 10/667,300

Art Unit: 3612

a spring housing mounted on an inside surface of each C-channel forming a second closed cross section;

a spring loaded quarter turn fastener mounted to the spring housing with a rest surface within the spring housing;

wherein the push plates are received within the C-channel closed cross sections with the quarter turn fasteners in a retracted position abutting the rest surface and wherein the quarter turn fasteners are released to engage the side plates to retain the Brush Guard in position.--

The abstract of 9/13/2004 is written as one paragraph.

Drawings

- 2. The drawings were received on 4/18/2006. These drawings are approved as to substance. However, note the attached PTO-948 describing formal problems with margin size and descriptive matter, etc. under "comments". Figure numbers should remain on any amended figures.
- 3. The following is an examiner's statement of reasons for allowance: The claim is allowed for the primary reason that the C-channel forming the closed cross section, unlike the C-channel of both Harris and Harrison, allows retention of the brush guard and side plates onto the snow plow push plates against the force of gravity, allowing disposition of the quarter turn fasteners with reduced effort while the brush guard is held in position.

Application/Control Number: 10/667,300

Art Unit: 3612

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis H. Pedder whose telephone number is (571) 272-6667. The examiner can normally be reached on 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn D. Dayoan can be reached on (571) 272-6659. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Dennis H. Pedder **Primary Examiner**

> > 5/3/06

Art Unit 3612

DHP 5/3/2006

•	Application No.	Applicant(s)	
Examiner-Initiated Interview Summary	10/667,300	ROOD, ROBERT	R.
	Examiner	Art Unit	
	Dennis H. Pedder	3612	
All Participants:	Status of Application:		
(1) <u>Dennis H. Pedder</u> .	(3)		
(2) <u>Mr. Rood</u> .	(4)		
Date of Interview: 2 May 2006	Time: afternoon		
Type of Interview: ☐ Telephonic ☐ Video Conference ☐ Personal (Copy given to: ☐ Applicant ☐ Applicant ☐ Exhibit Shown or Demonstrated: ☐ Yes ☐ No ☐ If Yes, provide a brief description:	nt's representative)		
Part I.			
Rejection(s) discussed:			
Claims discussed: Èxaminer proposed claim. Prior art documents discussed:			
Part II.			
SUBSTANCE OF INTERVIEW DESCRIBING THE GENER Modifications to the specification, drawing informalities, and prop and claim and understood need for drawing figure changes per F	osed claim were read to the appli		both spec
Part III.			
 ☑ It is not necessary for applicant to provide a separate r directly resulted in the allowance of the application. The of the interview in the Notice of Allowability. ☑ It is not necessary for applicant to provide a separate r did not result in resolution of all issues. A brief summary 	e examiner will provide a writton ecord of the substance of the	en summary of the interview, since the	substance
	10 D		
(Examiner/SPE Signature) (Applicant	/Applicant's Representative Si	gnature – if approp	priate)

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Brawing(s) filed (insert date) A approved by the Draftsperson under 37 CFR 1.84 of drawings are required. 1. DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: Black ink or Color (3 sets required).	r 1,152.
B objected to by the Draftsperson under 37 CFR 1.84	or 1.152 for the reasons indicated below. Corrected
drawings are required.	
DRAWINGS, 37 CFR 1.84(a); Acceptable	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i)
categories of drawings: Black ink or	Words do not appear on a horizontal. left-to-right
Color (3 sets required).	fashion when page is either upright or turned so
Color drawings are not acceptable until petition is	that the top becomes the right side, except for
granted. Fig(s)	graphs. Fig(s)
Pencil and non black ink not permitted. Fig(s)	9. SCALE. 37 CFR 1.84(k)
2. PHOTOGRAPHS. 37 CFR 1.84(b)	Scale not large enough to show mechanism
One (1) full-tone set is required. Fig(s)	without crowding when drawing is reduced in
Photographs may not be mounted. 37 CFR 1.84(e)	size to two-thirds in reproduction.
Photographs may not be mounted. 37 Cr & 1.84(c)	Fig(s)
Photographs must meet paper size requirements of	10. CHARACTER OF LINES, NUMBERS, &
37 CFR 1.84(f). Fig(s)	LETTERS. 37 CFR 1.84(I)
Poor quality (half-tone). Fig(s)	Lines, numbers & letters not uniformly thick and
3. TYPE OF PAPER. 37 CFR 1.84(e)	well defined, clean, durable, and black (poor line
Paper not flexible, strong, white, and durable.	quality). Fig(s)
Fig(s)	11. SHADING. 37 CFR 1.84(m)
Erasures, alterations, overwritings, interlineations,	
folds, copy machine marks not accepted.	Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s)
Fig(s)	12. NUMBERS, LETTERS, & REFERENCE
4. SIZE OF PAPER. 37 CFR 1.84(1): Acceptable	IV. NOMBERS, DELLERS, & REPERENCE
sizes:	CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and
21.0 cm by 29.7 cm (DIN size A4) or	
21.6 cm by 27.9 cm (8 1/2x 11 inches)	legible. Fig(s)
All drawing sheets not the same size.	Figure legends are poor. Fig(s)
Sheet(s)	Numbers and reference characters not oriented in
Drawings sheets not an acceptable size. Fig(s)	the same direction as the view. 37 CFR 1.84(p)(
5. MARGINS. 37 CFR 1.84(g): Acceptable margins:	Fig(s)
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm	English alphabet not used. 37 CFR 1.84(p)(2)
✓ Margins not acceptable. Fig(s) 1-4	Fig(s)
	Numbers, letters and reference characters must be
Right (R) Bottom (B)	at least 32 cm (1/8 inch) in height 37 CFR
6. VIEWS. 37 CFR 1.84(h)	1.84(p)(3). Fig(s)
REMINDER: Specification may require revision to	13. LEAD LINES. 37 CFR 1.84(q)
correspond to drawing changes, e.g., if Fig. 1 is	Lead lines missing. Fig(s)
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the	14. NUMBERING OF SHEETS OF DRAWINGS.
specification, at the Brief Description of the Drawings,	37 CFR 1.84(t)
must likewise be changed.	Sheets not numbered consecutively, and in Arabi
Views not labeled separately or properly.	numbers beginning with number 1. Sheet(s)
Fig(s)	15. NUMBERING OF VIEWS. 37 CFR 1.84(u)
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)	Views not numbered consecutively, and in Arabi
	numerals, beginning with number 1. Fig(s)
Sectional designation should be noted with	16. DESIGN DRAWINGS. 37 CFR 1.152
Arabic or Roman numbers. Fig(s)	Surface shading shown not appropriate.
•	Fig(s)
	Solid black surface shading is not permitted exce
•	when used to represent the color black as well as
	color contrast. Fig(s)
OMMENTS:	
emove all descriptive matters,	titles, patent numbers.
Tana	Date 04/28/2006
cwcr	V4.0